## **CONTEMPORARY DOCUMENTATION**

Juha-Matti Santala



## CONTEMPORARY /kənˈtɛm.pəˌJɛJ.i/

### From the same time period, coexistent in time.







## HI, I'M JUHIS

Founder of Turku <3 Frontend Founder of archipylago Background in startups & consulting

https://hamatti.org

<u>@hamatti@hamatti.org</u> in Mastodon





## DOCUMENTATION SHOULD

# PROVIDE CONTEXT



# (MOST OF THE) DOCUMENTATION A LIVING ORGANISM (README, API DOCS, CODE **COMMENTS**)

## COMMIT MESSAGES

# **3 BRANCHES**

## CODE REVIEW

## STORIES & TASKS






It's hard because the reward comes Cter


# COMMIT MESSAGE





https://xkcd.com/1296/





### Convert template to US-ASCII to fix error

I introduced some tests in a feature branch to match the contents of `/etc/nginx/router\_routes.conf`. They worked fine when run with `bundle exec rake spec` or `bundle exec rspec modules/router/spec`. But when run as `bundle exec rake` each should block failed with:

ArgumentError: invalid byte sequence in US-ASCII

I eventually found that removing the `.with\_content(//)` matchers made the errors go away. That there weren't any weird characters in the spec file. And that it could be reproduced by requiring Puppet in the same interpreter with:

rake -E 'require "puppet"' spec

That particular template appears to be the only file in our codebase with an identified encoding of `utf-8`. All others are `us-ascii`:

dcarley-MBA:puppet dcarley\$ find modules -type f -exec file --mime {} \+ | grep utf modules/router/templates/routes.conf.erb: text/plain; charset=utf-8

Attempting to convert that file back to US-ASCII identified the offending character as something that looked like a whitespace:

dcarley-MBA:puppet dcarley\$ iconv -f UTF8 -t US-ASCII modules/router/templates/routes.conf.erb 2>&1 | tail -n5 nrovy intercent errors off.

```
https://dhwthompson.com/2019/my-favourite-git-commit
```





# WRITE IT DOWN ASK A LOT OF QUESTIONS DON'T DELETE COMMENTS





# STORIES & TASKS

# Origin / Business Driver How to reproduce? Definition of Done

Clarifying questions 





# WRITE IT DOWN



# DOCUMENTATION WORKFLOW

### app.py > ...


def sum(a, b): 1 2 3 return 5 \* a + (b - 3) + a \* b4 5 def subtract(a, b): 6 7 8 return a - b

## """Uses Floomba method for addition since the data we use requires that."""

"""Calculate difference of two numbers."""

### hamatti:~/code/pycon-demo-project [master\*]\$ git blame app.py ^8acb5ea (Juha-Matti Santala 2019-09-26 21:46:07 +0300 1) def sum(a, b): ^8acb5ea (Juha-Matti Santala 2019-09-26 21:46:07 +0300 2) """Uses Floomba ^8acb5ea (Juha-Matti Santala 2019-09-26 21:46:07 +0300 3) since the da ac995f57 (Juha-Matti Santala 2019-09-26 21:53:27 +0300 4) return 5 \* a + ^8acb5ea (Juha-Matti Santala 2019-09-26 21:46:07 +0300 5) ^8acb5ea (Juha-Matti Santala 2019-09-26 21:46:07 +0300 6) def subtract(a, b): ^8acb5ea (Juha-Matti Santala 2019-09-26 21:46:07 +0300 7) """Calculate di ^8acb5ea (Juha-Matti Santala 2019-09-26 21:46:07 +0300 8) return a - b

```
e app.py
0 1) def sum(a, b):
0 2) """Uses Floomba method for addition
0 3) since the data we use requires that."""
0 4) return 5 * a + (b - 3) + a * b
0 5)
0 6) def subtract(a, b):
0 7) """Calculate difference of two numbers."""
0 8) return a - b
```




Hamatti/demo-project-pycon fix: Use Floomba method for math Hamatti committed 5 minutes ago

Advanced search Cheat sheet

### 1 commit result in Hamatti/demo-project-pycon










							O Unw	atch 🕶	1	★ Sta	ar O	8	Fork	0	
rity	<u>ılı</u> Insig	hts	🗘 Setti	ings											
												Brow	wse fi	iles	
				1	parent	7e22887	commit	ac9951	F57e6c9	91f <b>1</b> 8190	c45613	2f8b52	24a893	ddbb5	
												Unif	ied	Split	
														•••	
	1	def su	m(a, b)	:											

1	aet	sum(a,	D):			
2		U.U.U.Lease	El combo	math la a d	For	




O Unwatch	<ul> <li>■ 1 ★ Star 0 ¥ Fork 0</li> </ul>
Security 🕕 Insights	⊁ Settings
5 minutes ago	Edit
changed 1	+1 –1 💶
Owner + 🙂 🚥	Reviewers 🌣
d.	No reviews Assignees No one—assign yourself
	Labels 🗘
ac995f5	Projects 🏠
Revert	J





O Unwatch	<ul> <li>■ 1 ★ Star 0 ¥ Fork 0</li> </ul>
Security 🕕 Insights	⊁ Settings
5 minutes ago	Edit
changed 1	+1 –1 💶
Owner + 🙂 🚥	Reviewers 🌣
d.	No reviews Assignees No one—assign yourself
	Labels 🗘
ac995f5	Projects 🏠
Revert	J





() Issues ()

1 Pull requests 0

Projects 0

🗉 Wiki

### Rewrite sum functionality to match new intergalactic data requirements #1

Closed

Hamatti opened this issue 8 minutes ago · 0 comments · Fixed by #2




Hamatti commented 8 minutes ago

As we are preparing to bring in our first intergalactic client, we need to make sure our math operates with their data formats.

We considered two alternatives:

### Floomba method

- Is very performant
- Easy to understand for earth's humans
- Only works with Martian math so if we decide to widen our integrations, this needs to be reconsidered.



## COMMIT MSG, CODE REVIEW & ISSUES "WHAT WOULD I WANT TO KNOW IN 2 YEARS" WRITE IT DOWN



# 

## https://hamatti.org

# THANK VOU.

